

CITY OF ANSONIA
BID FORM

The City is soliciting bids for concrete sidewalks, curbs, aprons, and handicap ramps with tile. Price is to include all as specified for a sq. ft. price inclusive of all units described. All sidewalks shall be 5” thick, aprons and ramps shall be 10” thick with tile and concrete shall be 4,000 PSI concrete.

Unit price sq. ft. all included: _____ sq. ft.

BIDS DUE SEPTEMBER 8th 2025

Certificate of Insurance for \$5,000,000 naming City of Ansonia additional insured.

This project is city wide locations from 500 sq. ft. to 8,000 sq. ft.

Plans can be picked up on August 28, 2025 at the Economic Development Office.


BID SUBMITTED BY: _____

ADDRESS: _____


EMAIL: _____

PHONE: _____


CONTACT: _____



TYPICAL SECTION SHOWING SLOPE CURBING SET ADJACENT TO BITUMINOUS CONCRETE SURFACES




TYPICAL SECTION SHOWING SLOPE CURBING SET ADJACENT TO CONCRETE SURFACES




- THIS DIMENSION VARIES WITH THE THICKNESS OF THE TOP COURSE AND SLOPE OF SHOULDER.
- SEE TYPICAL SECTIONS FOR PROJECT. IN FILL AREAS 2' LEVEL BEHIND THE CURB IS REQUIRED.


BITUMINOUS CONCRETE BERM




6" BITUMINOUS CONCRETE LIP CURBING




4" BITUMINOUS CONCRETE PARK CURBING




PLAN



PLAN




PLAN




ELEVATION

6" CONCRETE CURBING




SECTION A




ELEVATION

4" CONCRETE PARK CURBING




SECTION B



ELEVATION

STONE CURBING




SECTION C

REVISION NO.	DATE	DESCRIPTION	SUBMITTED BY:	DATE	CADD FILE:
1	3-21-03	APPROVAL REC.	Timothy M. Wilson	March 18, 2003	8101.dgn
2	3-27-03	APPROVED:	Walter H. Conall	3-27-03	
3	4-1-03	F.I.W.A. APPROVAL	Walter H. Conall	4-1-03	

NOT TO SCALE

STATE OF CONNECTICUT DEPARTMENT OF TRANSPORTATION STANDARD DRAWING
--



DRAWING TITLE:
CURBING

STANDARD NO.:
811-A

